

		<ul style="list-style-type: none"> Disorder g. Diarrhea h. Malnutrition i. Meningitis j. Neonatal Death Septicemia k. Pneumonia l. Pre-post Maturity m. Prematurity n. Sepsis o. Sepsis Neonartum 	1 = 0.839		
		<p>5. Leading Causes of Under 5 mortality (total number nad rate per 1000 under 5 population):</p> <ul style="list-style-type: none"> a. Accidents b. Cardiopulmonary Arrest c. Cardiovascular Disease d. Congenital anomalies e. Convulsion f. Dengue g. Diarrhea h. Drowning i. Heart Failure j. Malnutrition k. Measles l. Meningitis m. Pneumonia n. Sepsis 		Leading Causes of Deaths among children 0-4 years old per 1000 population	RHU/CHO/Civil Registry

		o. TB Meningitis p. Unknown q. Status Asthmaticus	1 = 0.839		
	Nutrition	6. Total Number of Children with Low Birth Weight		Refers to children with Low Birth Weight equivalent to 2.5 kilograms or less. It reflects the nutritional status of mothers prior to conception as well as during pregnancy.	Local Nutrition Council
		7. Total Number of Children who are fully immunized against: a. TB b. Diphtheria c. Pertusis d. Tetanus e. Polio f. Measles g. Hepatitis B h. FIC	1431 = 88% 1415 = 87% - 1st 1354 = 83% - 2nd 1339 = 82% - 3rd 1339 = 82% 1420 = 87% 966 = 74% 1403 = 86%	Refers to children from 9 – 11 months old who have been given 3 doses of DPT and OPV and measles vaccine. The child is counted FIC as soon as all the required vaccines are administered without waiting for the child to reach 1 year of age. (Infant given 3rd dose of Hepa B – refers to infants given 3 doses of Hepatitis B vaccine before 1 year of age.)	BHS/RHU/CHO
	Reproductive Health and Family Planning	8. Number of Teenage Pregnancies (below 18 years old), by age	No Data Available	Refers to teenage pregnancies (adolescent group) for 15 – 19 age group	BHS/RHU/CHO
	Water and Environmental	9. Total Number of Households with the		Refers to households with flush or pour flush toilets,	Community Based Survey

	Sanitation	<p>following types of toilet facility:</p> <ul style="list-style-type: none"> a. Water sealed flush to sewerage system/ septic tank – own use b. Water sealed flush to sewerage system /septic tank – shared with others c. Closed Pit d. Open Pit e. No Toilet 	<p>9,339</p> <p>151</p> <p>148</p> <p>347</p> <p>83</p>	sanitary pit privy, other types of sanitary toilet facilities such as aqua-privy, ventilated improved pit or chemical toilet,	
		10. total Number of Households with sufficient potable water all year round	96%	Refers to households covered by or have access to the following types of drinking water sources to conform to the national standards for drinking water (i.e. free from bacterial, chemical, physical and other contaminants).	Community Based Survey
	Economic Empowerment And Food Security	11. Total number of families and children which are classified as informal settlers; and street dwellers	<p>Informal Settlers: 250</p> <p>Street Dwellers: 0</p>	<p>Informal Settlers – refer to the number of families and children which are classified as squatters or illegal settlers and;</p> <p>Street Dwellers – refer to the number of families and children located in sidewalks. Carts, parks,</p>	Community Based Survey

				along the road (mobile).	
2. DEVELOPMENT (3 Indicators)	Formal Schooling & Education	12. Number of students enrolled in elementary and secondary levels by sex and total	Elementary = 8,268 Secondary = 5,196	Actual count of the total number of pupils/students who have registered as of Aug. 31 in a given school year	Department of Education
		13. Number of children infected and affected by STD/HIV/AIDS	None	Indicate the number of children to be served whose HIV test indicates directly or indirectly, that they are infected with STD/HIV/AIDS.	NGOs/MSWD/ RHU/CHO